

|    | Type | Hits    | Search Text   | DBs  |
|----|------|---------|---|--|
| 1  | BRS  | 1       | (light (receiv\$5 or inciden\$5) (surface or plane)) and (light emit\$5 (surface or plane)) and (flexible circuit board) and (point light sources) and (flexible (compound or filler))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 2  | BRS  | 1       | (light emit\$5 (surface or plane)) and (flexible circuit board) and (point light sources) and (flexible (compound or filler))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 3  | BRS  | 1       | (flexible circuit board) and (point light sources) and (flexible (compound or filler))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 4  | BRS  | 10      | cleaver-mark-j.in.  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 5  | BRS  | 9       | ("5607227"   "5820246"   "6183104"   "6354714"   "6361186"   "6517224"   "6530164"   "6676284"   "6874924").PN.   | US-PGPUB; USPAT; USOCR                             |
| 6  | BRS  | 0       | ("6948828").URPN.   | USPAT  |
| 7  | BRS  | 812068  | ((light emit\$5 diod\$4) or "LED") or (point light source)  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 8  | BRS  | 963     | S7 and (flex\$6 circuit board)  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 9  | BRS  | 125     | flexible with ((rod like) with ((illuminat\$6 device or apparatus) or lamp or light))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS  | 2       | S8 and S9   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS  | 149432  | flexible with (((illuminat\$6 device or apparatus) or lamp or light))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 12 | BRS  | 381     | S7 and S8 and S11   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS  | 7529586 | ((((illuminat\$6 device or apparatus) or lamp or light))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 14 | BRS  | 872     | S7 and S8 and S13   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 15 | BRS  | 643724  | (polyurethane or silicone or silicone rubber) or (flexible compound)  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 16 | BRS  | 180     | S14 and S15   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 17 | BRS  | 1       | S13 and flexibel and ((rod like) or rope)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS  | 65      | S13 and flexibel  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS  | 839     | S13 and flexible and S8   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS  | 836     | S13 and flexible and S8 and (circuit board)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS  | 139     | S13 and flexible and S8 and (circuit board) and (rope or rod)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS  | 18      | ("20020027778"   "20020027780"   "20020071276"   "20030090910"   "5155669"   "5485355"   "5552971"   "5711594"   "5871271"   "5879069"   "5911493"   "6082867"   "6179440"   "6379190"   "6394623"   "6394626"   "6406166"   "6580228").PN. | US-PGPUB; USPAT; USOCR                             |
| 23 | BRS  | 0       | ("6846094").URPN.   | USPAT  |

|    | Type | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 24 | BRS  | 15   | ("3931887"   "4020337"   "4107767"   "4521839"   "4607317"   "4665470"   "4812956"   "4885664"   "5057981"   "5074251"   "5882742"   "5934792"   "5941626"   "5964518"   "6076938").PN.   | US-PGPUB; USPAT; USOCR                             |
| 25 | BRS  | 11   | ("6394623").URPN.   | USPAT  |
| 26 | BRS  | 741  | S13 and (flexible (circuit board)) and S8   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS  | 530  | S13 and (flexible (circuit board)) and S8 and @ad < "20030204"  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS  | 194  | S13 and (flexible (circuit board)) and S8 and @ad < "20030204" and (strip or rod or rope)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS  | 226  | (flexible (circuit board)) and S8 and @ad < "20030204" and (strip or rod or rope)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS  | 32   | S29 not S28   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS  | 285  | S8 and @ad < "20030204" and (strip or rod or rope)  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS  | 91   | S31 not S28   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 33 | BRS  | 59   | S32 not S30   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS  | 9    | ("4298869"   "4591954"   "4774434"   "5062027"   "5211466"   "5272602"   "5700080"   "5865529"   "6158882").PN.   | US-PGPUB; USPAT; USOCR                             |
| 35 | BRS  | 11   | ("6371637").URPN.   | USPAT  |
| 36 | IS&R | 1    | ("6406166").PN.   | USPAT  |
| 37 | BRS  | 4    | ("4994944"   "5315160"   "5854541"   "5957564").PN.   | US-PGPUB; USPAT; USOCR                             |
| 38 | BRS  | 7    | ("6406166").URPN.   | USPAT  |
| 39 | BRS  | 18   | ("20020027778"   "20020027780"   "20020071276"   "20030090910"   "5155669"   "5485355"   "5552971"   "5711594"   "5871271"   "5879069"   "5911493"   "6082867"   "6179440"   "6379190"   "6394623"   "6394626"   "6406166"   "6580228").PN. | US-PGPUB; USPAT; USOCR                             |
| 40 | BRS  | 0    | ("6846094").URPN.   | USPAT  |
| 41 | BRS  | 2    | ("4812956"   "5934792").PN.   | US-PGPUB; USPAT; USOCR                             |
| 42 | BRS  | 1    | ("6379190").URPN.   | USPAT  |
| 43 | BRS  | 13   | "6371637"   | USPAT  |
| 44 | IS&R | 1    | ("6371637").PN.   | USPAT  |
| 45 | BRS  | 9    | ("4298869"   "4591954"   "4774434"   "5062027"   "5211466"   "5272602"   "5700080"   "5865529"   "6158882").PN.   | US-PGPUB; USPAT; USOCR                             |
| 46 | BRS  | 11   | ("6371637").URPN.   | USPAT  |
| 47 | IS&R | 1    | ("6874924").PN.   | USPAT  |

|    | Type | Hits  | Search Text   | DBs  |
|----|------|-------|---|--|
| 48 | BRS  | 58    | ("4111520"   "4298869"   "4376946"   "4597033"   "4607317"   "4767172"   "4785567"   "4891896"   "4976057"   "4996632"   "5057981"   "5151679"   "5201020"   "5219217"   "5301090"   "5303133"   "5365411"   "5375043"   "5410453"   "5416679"   "5459955"   "5475786"   "5497440"   "5526236"   "5537297"   "5588236"   "5613751"   "5618096"   "5640792"   "5694513"   "5842297"   "5876107"   "5879076"   "5887968"   "5921652"   "5934792"   "5950340"   "5964518"   "5996263"   "6023869"   "6042248"   "6065846"   "6076294"   "6079838"   "6095673"   "6123442"   "6146006"   "6158882"   "6186645"   "6193385"   "6204899"   "6283612"   "6354714"   "6361186"   "6394623"   "6404131"   "6488397"   "6676284").PN. | US-PGPUB; USPAT; USOCR                             |
| 49 | IS&R | 2     | ((("5890790") or ("6874924")).PN.   | USPAT  |
| 50 | BRS  | 58    | ("4111520"   "4298869"   "4376946"   "4597033"   "4607317"   "4767172"   "4785567"   "4891896"   "4976057"   "4996632"   "5057981"   "5151679"   "5201020"   "5219217"   "5301090"   "5303133"   "5365411"   "5375043"   "5410453"   "5416679"   "5459955"   "5475786"   "5497440"   "5526236"   "5537297"   "5588236"   "5613751"   "5618096"   "5640792"   "5694513"   "5842297"   "5876107"   "5879076"   "5887968"   "5921652"   "5934792"   "5950340"   "5964518"   "5996263"   "6023869"   "6042248"   "6065846"   "6076294"   "6079838"   "6095673"   "6123442"   "6146006"   "6158882"   "6186645"   "6193385"   "6204899"   "6283612"   "6354714"   "6361186"   "6394623"   "6404131"   "6488397"   "6676284").PN. | US-PGPUB; USPAT; USOCR                             |
| 51 | BRS  | 10    | ("5607227" or "6874924" or "6406166" or "6371637" or "6796680" or "6851832" or "6846094" or "6676284" or "4908743" or "6871981").pn.  | USPAT  |
| 52 | BRS  | 6     | ("5130909" or "4607317" or "5057981" or "6193385" or "6158882" or "5964518").pn.  | USPAT  |
| 53 | BRS  | 3     | (flexible circuit board) and S53  | USPAT  |
| 54 | BRS  | 16    | S51 or S52  | USPAT  |
| 55 | BRS  | 13    | flexible and S53  | USPAT  |
| 56 | BRS  | 1     | flex\$6 and "6676284".pn.   | USPAT  |
| 57 | BRS  | 9     | ("3949350"   "4267489"   "5128843"   "5420482"   "5559681"   "5570525"   "5613763"   "6211626"   "6361186").PN.   | US-PGPUB; USPAT; USOCR                             |
| 58 | BRS  | 4     | ("6676284").URPN.   | USPAT  |
| 59 | BRS  | 36028 | ((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits   | Search Text  | DBs  |
|----|------|--------|--|--|
| 60 | BRS  | 1129   | S59 and ((air bubbles) or (micro balloons))                                    | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 61 | BRS  | 661    | S60 and (lamp or light or (rod-like light))                                    | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 62 | BRS  | 812168 | ((light emit\$5 diod\$4) or "LED") or (point light source)                     | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS  | 827    | S62 and (flexible circuit board)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS  | 1      | S61 and S63  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS  | 1981   | S62 and (flexible circuit )  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS  | 2      | S61 and S65  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 67 | BRS  | 124    | S61 and S62  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 68 | BRS  | 93     | S67 and @ad < "20030403"   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS  | 1      | S59 and (impregnat\$4 ((air bubbles) or (micro balloons)))                     | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 70 | IS&R | 1      | ("4195907").PN.  | USPAT  |
| 71 | BRS  | 8      | ("2815607"   "3516239"   "3535018"   "3653739"   "3767910").PN.                | US-PGPUB; USPAT; USOCR                             |
| 72 | BRS  | 34     | ("4195907").URPN.  | USPAT  |
| 73 | BRS  | 1      | S59 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons)))      | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS  | 17     | S59 and ((impregnat\$4 or embed\$\$) with ((air bubbles) or (micro balloons))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS  | 7      | S74 and (lamp or light or (rod-like light))                                    | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 76 | BRS  | 35     | S59 and ((impregnat\$4 or embed\$\$) with ((bubbles) or (micro balloons)))     | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS  | 19     | S76 and (lamp or light or (rod-like light))                                    | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS  | 16     | S77 and @ad < "20030403"   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits   | Search Text  | DBs  |
|----|------|--------|--|--|
| 79 | BRS  | 76     | ("3822706"   "3877437"   "3910261"   "4155358"<br>  "4220162"   "4234907"   "4248245"  <br>"4293189"   "4485822"   "4560883"   "4693556"<br>  "4754372"   "4761047"   "4777963"  <br>"4822335"   "4831024"   "4907132"   "4911166"<br>  "5005108"   "5069220"   "5069222"  <br>"5074632"   "5136480"   "5140027"   "5140220"<br>  "5169395"   "5196005"   "5219346"  <br>"5231684"   "5259380"   "5278432"   "5293875"<br>  "5301090"   "5339223"   "5363458"  <br>"5383469"   "5400425"   "5426635"   "5445608"<br>  "5454794"   "5500009"   "5505726"  <br>"5536265"   "5549660"   "5591219"   "5613751"<br>  "5616140"   "5618096"   "5634711"  <br>"5695583"   "5698866"   "5728090"   "5762867"<br>  "5792214"   "5800478"   "5800479"  <br>"5824023"   "5824024"   "5830211"   "5835648"<br>  "5849027"   "5857761"   "5865529"  <br>"5876107"   "5876427"   "5892261"   "5908415"<br>  "5913883"   "5919217"   "5921652"  <br>"5944748"   "5957960"   "6045575"   "6063108"<br>  "6096066"   "D279926").PN. | US-PGPUB; USPAT; USOCR                             |
| 80 | BRS  | 13     | ("6290713").URPN.  | USPAT  |
| 81 | BRS  | 5      | S62 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons)))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 82 | BRS  | 9      | S59 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons) or void))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 83 | BRS  | 1      | S61 and ((impregnat\$4 or embed\$\$) ((air bubbles) or (micro balloons) or void))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 84 | BRS  | 1      | S61 and ((impregnat\$4 or embed\$\$) ((bubbles) or (micro balloons) or void))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 85 | BRS  | 141    | S61 and (void)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS  | 0      | S61 and ((impregnat\$4 or embed\$\$) void)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 87 | BRS  | 8      | S59 and ((impregnat\$4 or embed\$\$) void)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 88 | BRS  | 643767 | ((polyurethane or silicone or silicone rubber) or (flexible compound))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 89 | BRS  | 1      | ((polyurethane or silicone or silicone rubber) or (flexible compound)) and S84   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 90 | BRS  | 1      | S88 and S84  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 91 | BRS  | 33171  | S88 and S62  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 92 | BRS  | 1      | S88 and S62 and S84  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 93 | BRS  | 812168 | ((light emit\$5 diod\$4) or "LED") or (point light source)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 94 | BRS  | 6187   | (flexible circuit board)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|     | Type | Hits   | Search Text  | DBs  |
|-----|------|--------|--|--|
| 95  | BRS  | 36028  | ((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 96  | BRS  | 887    | ((impregnat\$4 or embed\$\$) ((bubbles) or (micro balloons) or void))                | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 97  | BRS  | 1605   | 362/555,189,225.ccls.  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 98  | BRS  | 909    | S97 and @ad < "20030204"   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 99  | BRS  | 7805   | 362/217,495,544,545,103-106,108,133,134,152,198,219,222,224,227,240,326,327.ccls.    | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 100 | BRS  | 3727   | S99 and @ad < "20030204"   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 101 | BRS  | 0      | S98 and S93 and S96  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 102 | BRS  | 4      | S98 and S93 and S95  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 103 | BRS  | 9314   | (point light source)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 104 | BRS  | 39     | S98 and S103   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 105 | BRS  | 394    | S98 and S93  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 106 | BRS  | 138    | S98 and S93 and flexible   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 107 | BRS  | 0      | S106 not S105  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 108 | BRS  | 256    | S105 not S106  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 109 | BRS  | 624    | S99 and S93 and flexible   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 110 | BRS  | 470    | S100 and S93 and flexible  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 111 | BRS  | 426    | S110 not S105  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 112 | BRS  | 426    | S111 not S106  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 113 | BRS  | 46     | S112 and S94   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 114 | BRS  | 9080   | 362/235,236,249,278,310,311,329,800,806,812.ccls.                                    | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 115 | BRS  | 4751   | S114 and @ad < "20030204"  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 116 | BRS  | 812168 | ((light emit\$5 diod\$4) or "LED") or (point light source)                           | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 117 | BRS  | 6187   | (flexible circuit board)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 118 | BRS  | 36028  | ((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 119 | BRS  | 4751   | S114 and S115  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 120 | BRS  | 827    | S116 and S117  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|     |     |    |                        |   |
|-----|-----|----|------------------------|---|
| 121 | BRS | 13 | S116 and S117 and S118 | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|----|------------------------|---|

|     | Type | Hits   | Search Text  | DBs   |
|-----|------|--------|--|---|
| 122 | BRS  | 60     | S115 and S116 and S117   | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
| 123 | BRS  | 3367   | 385/123,125.ccls.  | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
| 124 | BRS  | 2843   | S123 and @ad < "20030204"  | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
| 125 | BRS  | 36028  | ((polyurethane or silicone or silicone rubber) or (flexible compound)) with flexible | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
| 126 | BRS  | 812168 | ((light emit\$5 diod\$4) or "LED") or (point light source)                           | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
| 127 | BRS  | 6187   | (flexible circuit board)   | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
| 128 | BRS  | 5      | S124 and S125 and S126   | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |
| 129 | BRS  | 71     | S124 and S126 and flex\$4  | US-PGPUB; USPAT; USOCR;<br>EPO; JPO; DERWENT; IBM_TDB |





Application  
Number

SEARCH

IDS Flag Clearance for Application 10771714

IDS  
Information

| Content | Mailroom Date | Entry<br>Number | IDS<br>Review                       | Reviewer                     |
|---------|---------------|-----------------|-------------------------------------|------------------------------|
| M844    | 05-13-2004    | 15              | <input checked="" type="checkbox"/> | 08-19-2004 17:06:03 dscott   |
| M844    | 05-19-2004    | 16              | <input checked="" type="checkbox"/> | 08-19-2004 17:06:39 dscott   |
| M844    | 12-13-2004    | 21              | <input checked="" type="checkbox"/> | 01-16-2005 15:15:48 kduncan  |
| M844    | 06-03-2005    | 28              | <input checked="" type="checkbox"/> | 06-15-2005 17:23:19 ajenkins |

UPDATE